McAfee Email Encryption Account Setup Procedure & Email Retrieval

 Depending on the email you use; be it Gmail, Yahoo, or HTC the procedure for setting up the account is the same once you have received the initial email. (For this example I setup an example Gmail account to show the steps) Once I received the message in my Gmail Inbox I clicked to open it like a normal email:

Google		- Q
Gmail +	C More v	
COMPOSE	Free Desktop Themes - www.FreePop	ularWallpapers.com - Huge collection of Screensavers and Desktop Themes anywhere! All Free.
Inbox (1)	Charles Aarestad	McAfee Email Encryption Activation Information - McAfee Email Encryption Notification
Important		
Sent Mail		
Drafts	0% full Using 0 MB of your 7685 MB	©2012 Google - Terms & Privacy
[Imap]/Drafts	oung one of your root ne	
[Iman]/Cant		
Chat		
Search people		
Charles Aarestad Set status here *		
📞 Call phone		

2. After clicking into the Email to view it, the message will look similar to this one prompting you to setup an account to retrieve the messages in. Follow the link that the arrow designates to start the account setup process:

Charles Aarestad charles.sarestad	d@redriverbank.com	
McAfee Email Encryption N	e ^s	
Charles Aarestad < <u>charles aarestad</u> message via Email Encryption.	d@redriverbank.com> has sent you a secure	
Subject: Encryption F	Procedure to Setup Account	
Sent: March 1, 20	12 7:52 AM MST	
Activation Information		
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>cha</u> directly from this Email Encryption a	below and use your activation code to create an u've created your account, new messages you arles.aarestad@redriverbank.com> can be viewed account:	
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>char</u> directly from this Email Encryption a	below and use your activation code to create an u've created your account, new messages you arles.aarestad@redriverbank.com> can be viewed account: rrsb.example@gmail.com	Unique Activation Co
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>char directly from this Email Encryption a Email: Activation Code: </u>	below and use your activation code to create an u've created your account, new messages you arles.aarestad@redriverbank.com> can be viewed account: <u>rrsb.example@gmail.com</u> 5q4dny5z	Unique Activation Co
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>charles</u> directly from this Email Encryption a Email: Activation Code: Click here to activate you	below and use your activation code to create an u've created your account, new messages you arles aarestad@redriverbank.com> can be viewed account: <u>rrsb.example@gmail.com</u> 5q4dny5z	Unique Activation Co Activation Link
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>cha</u> directly from this Email Encryption a Email: Activation Code: Click here to activate you Click here to ac	below and use your activation code to create an u've created your account, new messages you arles.aarestad@redriverbank.com> can be viewed account: rrsb.example@gmail.com 5q4dny5z our account and read your message. on.mcafeesaas.com/login.html? cd&enterprise=McAfee&locale=en_US	Unique Activation Co Activation Link
Activation Information To view this message, click the link Email Encryption account. Once you receive from Charles Aarestad < <u>cha</u> directly from this Email Encryption a Email: Activation Code: Click here to activate you Nttps://encryption For Email Encryption online help, vi	below and use your activation code to create an u've created your account, new messages you arles aarestad@redriverbank.com> can be viewed account: <u>rrsb.example@gmail.com</u> 5q4dny5z our account and read your message. on mcafeesaas.com/login.html? cd&enterprise=McAfee&locale=en_US	Unique Activation Co Activation Link

3. After clicking the link designated above you'll be redirected to a webpage that prompts for you to setup an account based upon the email address the message was sent too. Follow the instructions to input the designated information and unique activation code that was issued to you like in the previous picture for example:

*Indicates a required	field
Enter Your Activation	Information
Select language	English (United States)
First Name: *	Charles
Last Name: *	Aarestad
Email Address: *	rrsb.example@gmail.com
Activation Code: *	5q4dny5z
Create a Password	
Password: *	•••••
	Six-character minimum and Twelve-character maximum; case sensitive
Password Strength:	Medium
Confirm Password: *	

4. Once your account has been created and activated you'll be transferred to the email viewed within the McAfee Email Encryption Webpage.

🔾 🌍 😚 https://encryption.mcafeesaas.com/user/	istMessage.html 🔎 - 🔒 🗟 C 🗙 Migmail -	McAfee Email Encrypti
ile Edit View Favorites Tools Help		
McAfee Email Encryption		
Mailbox Options		
Secure Messages		
Ø 0 From:	Subject	Receiv
Charles Aarestad	Encryption Procedure to Setup Account	March
	(4	

5. Click on the pending email to reply with your encrypted Email with ACH Data File attached.

6. After opening the email in the McAfee Email viewer it will look similar to the following Image and too reply click the reply tab in the blue menu bar:

Mailbox Options		
Read Message		
Verify Print Reply Save Delete		
From: Charles Aarestad <charles.aarestad@redriverbank.com< th=""><th>Þ</th><th></th></charles.aarestad@redriverbank.com<>	Þ	
To: "rrsb.example@gmail.com" <rrsb.example@gmail.com< td=""><td></td><td></td></rrsb.example@gmail.com<>		
Subject: Encryption Procedure to Setup Account		
Sent: March 1, 2012 2:52 PM GMT+00:00		
Size: 12KB		
Attachments:		
Encryption Procedure to Setup Account		
Back to Mailbox]

7. In the reply, type any specific directions or comments you would like too and add your attachment with the "Add a new attachment" hyperlink which will let you attach a file that is located on your local machine:

mpose an Email Encryption Message	
From: rrsb.example@gmail.com via Email Encryption	
To: Charles Aarestad <charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	
Subject: Re: Encryption Procedure to Setup Account	
Attachments: Add a new attachment	
rom: Chanes Aarestad <chanes.aarestad@redriverbank.com> ent: Thu, Mar 1 2012 07:52:33 MST o: "rrsb.example@gmail.com" <rrsb.example@gmail.com> ubject: Encryption Procedure to Setup Account</rrsb.example@gmail.com></chanes.aarestad@redriverbank.com>	
Encryption Procedure to Setup Account	-

8. Browse using the File Explorer window that opens automatically to find and open the file to attach to your encrypted message:

Mailbox Options ompose an Email Encryption Message From: msb example@gmail.com via Email Encryption To: Charles Aarestad <charles aarestad@redriverbank.com=""> Subject: Re: Encryption Procedure to Setup Account Attachments: Add a new attachment Part To: Marit 2012 07.52:33 MST Orn: Charles Aarestad@redriverbank.com> wote: Torn: Charles Aarestad@redriverbank.com> wote: Torn: Charles Aarestad@redriverbank.com> wote: Torn: Charles Aarestad@redriverbank.com></charles>	yganize ← E Views rite Links locuments Ausic ictures ublic lecently Changed earches lecent Places	s v i	New Folder Size Shortcut 1.68 KB Example1 JPEG Image 69.9 KB Example2 JPEG Image	4+ Sean Type	ch Date modified	٩
Impose an Email Encryption Message Fav. From: rsb.example@gmail.com via Email Encryption Fav. To: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> Subject: Re. Encryption Procedure to Setup Account Image: Charles Aarestad <charles aarestad@redriverbank.com=""> aply Example Image: Charles Aarestad <charles aarestad@redriverbank.com=""> Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> in: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> In: Charles</charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles></charles>	Irganize	Name Name	New Folder Size Shortcut 1.68 KB Example1 JPEG Image 69.9 KB Example2 JPEG Image	Туре	Date modified	0
From: msb.example@gmail.com via Email Encryption Fav. To: Charles Aarestad <charles aarestad@redriverbank.com=""> Image: Charles Aarestad <charles aarestad@redriverbank.com=""> Subject: Re: Encryption Procedure to Setup Account Image: Charles Aarestad <charles aarestad@redriverbank.com=""> ttachments: Add a new attachment aply Example Image: Charles aarestad@redriverbank.com> Charles Aarestad <charles aarestad@redriverbank.com=""> or: Charles Aarestad <charles aarestad@redriverbank.com=""> in: Thu, Mar 1 2012 07:52 33 MST "insba example@gmail.com> bject: Encryption Procedure to Setup Account</charles></charles></charles></charles></charles>	rite Links locuments Ausic ictures ublic kecently Changed earches ecent Places		Shortcut 1.68 KB Example1 JPEG Image 69.9 KB Example2 JPEG Image	Type	Date mounes	
	esktop		62.6 KB example3 JPEG Image 43.4 KB			I
Icryption Procedure to Setup Account	ers A	e: Example	example4 JPEG Image 73.7 KB example5 JPEG Image 45.9 KB	-	NI Files (*.*)	

9. When the attachment has successfully loaded into the McAfee Email Encryption webpage, it will look as follows. At this point your message is ready to be sent back to the original sender:

	e Email Encryption		
Aailbox	Options		
ompose an	Email Encryption Message		
From: rrsb.	example@gmail.com via Email Encryption		
To: Cha	rles Aarestad <charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>		
Subject: Re:	Encryption Procedure to Setup Account		
ttachments:	Add a new attachment		
	C:\Users\Charlie\Desktop\Example1.JPG	Browse Remove	
nt: Thu, Mar "rrsb.examp bject: Encryp	a esiau sonares.aarestaugreunverbank.com> I 2012 07:52:33 MST le@gmail.com" <rrsb.example@gmail.com> tip Brooder to Setun Account</rrsb.example@gmail.com>		
Encryption Pro	condure to Setup Account		
Encryption Pro	coedure to Setup Account	Send	THE Back to Mailbox

10. The following image is the message being sent off through the Email Encryption Portal:

XODIIE	Options		
mpose an	Email Encryption Message		
From: rrsb.	example@gmail.com via Email Encryption		
To: Cha	arles Aarestad <charles.aarestad@redriverbank.c< td=""><td>2002</td><td></td></charles.aarestad@redriverbank.c<>	2002	
ubject: Re:	Encryption Procedure to Setup Account	1	
ttachments:	Add a new attachment	Sending your reply message	
		Browse	
ply Example Charles Aares m: Charles A nt: Thu, Mar	stad <charles.aarestad@redriverbank.com> wrot karestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST</charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	e:	^
ply Example Charles Aare: om: Charles A nt: Thu, Mar : "rrsb.examp bject: Encryp	stad <charles.aarestad@redriverbank.com> wrot karestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST le@gmail.com' <rrsb.example@gmail.com> tion Procedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	e:	~
ply Example Charles Aare: m: Charles A nt: Thu, Mar "rrsb.examp bject: Encryp Encryption Pr	stad <charles.aarestad@redriverbank.com> wrot Aarestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST le@gmail.com" <rrsb.example@gmail.com> tion Procedure to Setup Account ocedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	e:	
ply Example Charles Aare: om: Charles A nt: Thu, Mar "rrsb.examp bject: Encryp Encryption Pr	stad <charles.aarestad@redriverbank.com> wrot Aarestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST le@gmail.com" <rrsb.example@gmail.com> tion Procedure to Setup Account ocedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	E:	
ply Example Charles Aare: m: Charles A nt: Thu, Mar "rrsb.examp bject: Encryp	stad <charles.aarestad@redriverbank.com> wrot Varestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST le@gmail.com" <rrsb.example@gmail.com> tion Procedure to Setup Account ocedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	e.	
ply Example Charles Aare: om: Charles A nt: Thu, Mar "rrsb.examp bject: Encryp	stad <charles.aarestad@redriverbank.com> wrot Aarestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST ile@gmail.com" <rrsb.example@gmail.com> tion Procedure to Setup Account ocedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	E:	*
ply Example Charles Aare: Charles A nt: Thu, Mar "rrsb.examp bject: Encryp	stad <charles.aarestad@redriverbank.com> wrot Varestad <charles.aarestad@redriverbank.com> 1 2012 07:52:33 MST le@gmail.com" <rrsb.example@gmail.com> tion Procedure to Setup Account ocedure to Setup Account</rrsb.example@gmail.com></charles.aarestad@redriverbank.com></charles.aarestad@redriverbank.com>	e. (Send)	Back to Mailbox

11. Once the message has left successfully, you'll be returned to the McAfee Email Encryption inbox which then you can close the web browser session and the email will successfully be transferred to the appropriate Red River State Bank Employee to handle the uploading of your ACH Data File.